bels
TULIP W
wall lamp

24

26   cm

|	
Description	TULIP is a suitable addition to the BOWL light: much more compact and with numerous features, it expands the range of functions. The touch switch function in the wall puck makes it easy to use and clear in appearance. The arm can be swiveled horizontally, making it a functional bedside light. The replaceable LED retrofit GX53 lamp fits perfectly into the aluminum shade and ensures glare-free illumination. The result is a successful mixture of functionality and minimalism.
Frame	Wall puck and tube in steel, powder-coated
Shade	Aluminum, poweder coated
Dimensions (dxhxb)	ø 13 x 24 x 26 cm
Light source	GX53, 5.5W 500lm 2700K (included; replaceable)
Energy class	F
Switch	On/Off touch-switch
Type of protection	IP20
Protection class	I
Mains voltage	220-240 V 50/60 Hz
Power	Depends on light source
Net weight	0,6 kg
Packing volume	0,023 m³
Options	Other colours possible with corresponding quantities
Certificates	⊕ CE ☒
Design	2020 Christian Finke, Tobias Bihlmeyer

Black   White

Order code:	**TULIP W_B**		black
	TULIP W_W		white

bels
TULIP P
pendant lamp

filumen®

200

15

13   cm

Description	TULIP P is the small counterpart to the BOWL lamp: the shade is much more compact - an ideal lamp for small tables and counters. The replaceable LED retrofit GX53 fits perfectly into the aluminum shade and creates a glare-free contemporary light.
Shade	Aluminum shade with steel tupe, powder-coated black or white
Supply cable	PVC-cable, ca. 200 cm
Canopy	Plastic
Dimensions (dxh)	ø 13 x 15 cm
Light source	GX53, 5.5W 500lm 2700K (included; replaceable)
Energy class	F
Switch	External
Type of protection	IP20
Protection class	II
Mains voltage	220-240 V 50/60 Hz
Power	Depends on light source
Net weight	0,3 kg
Packing volume	0,045 m³
Options	Other colours possible with corresponding quantities
Certificates	▣ CE ⌀
Design	2021 Christian Finke

black   white

Order code:	**TULIP P_B**	black
	TULIP P_W	white

bels
BOWL
pendant & mounting lamp

filumen®

Description	BOWL reinterprets the charm of old industrial lamps - both decorative and functional with a contemporary, built-in LED technology. The aluminum shade is available in 3 colors: black, gray and white. The top cover, the LED housing and the pendant are matt black for all versions. The bi-colour variant in black and orange is the only one with an anodized inner surface. The contrast gives the lamp an exciting look.
Shade	Aluminum, powder-coated
Dimensions (dxh)	Ø 35 x 11 cm
Diffuser	Acrylic glass-diffuser, satinized
Canopy	Plastic, black
Supply cable	PVC-cable black, 240 cm
Light source	LED-module AC 1500 Lm
Light colour / CRI	3000° Kelvin / >80RA
Light distribution	Directional
Lifetime	min. 50.000h
Energy class	A+
Dimmer	Triac
Type of protection	IP20
Protection class	I
Power	14,5W
Mains volume	220-240V 50/60Hz
Net weight	2,0 kg
Packing volume	0,029m³
Optional	DC-LED module 2400lm, 2700K, dali dim.
Certificates	⏚ CE ⌫
Design	2018, Christian Finke, Tobias Bihlmeyer

Model	Pendant lamp	Ceiling lamp	
Order code:	BOWL P_ACL_BL	BOWL MT_ACL_BL	black
	BOWL P_ACL_GR	BOWL MT_ACL_GR	grey
	BOWL P_ACL_WH	BOWL MT_ACL_WH	white
	BOWL P_ACL_BI	BOWL MT_ACL_BI	bicolor

black   grey   white   bicolour