


cubic
GATE
table lamp

filumen®



Description

The cubic table lamp GATE consists of a softly edged sheet steel body with versions in matt white or black, and a fabric lampshade in dupion silk or chintz. The classic E27 socket enables energy-saving LED illumination. A silver-grey textile cable complements the quality of the material. GATE is available in two sizes. The SAI SO is a special edition with old kimono fabrics.

Shade

Fabric shade in dupion silk or chintz (see colour chart)

Base

Steel white or black matt powder-coated

Supply cable

Silver grey textil cabel, ca.170 cm

Switch

On/Off switch

Light source

E27 max. 60W (not included)

Light distribution

Asymmetrical indirect

Energy class

Depends on the light source

Type of protection

IP20

Protection class

II

Mains voltage

220-240V 50/60Hz

Options

Dimmer, special colours, Kimono fabrics, wooden base

Certificates



Design

1999, Christian Finke



Model

GATE 21

GATE 27

Dimensions (wxhxd)

21 x 43 x 13 cm

27 x 55 x 15 cm

Net weight

2,0 kg

3,0 kg

Packing volume

0,018 m³

0,030 m³

Order code:

GATE 21_ST_W

GATE 27_ST_W

Base white

GATE 21_ST_BL

GATE 27_ST_BL

Base black


black

white



cubic
BOX
wall lamp

filumen®



Description

BOX is a wall lamp which can be used to structure spaces and set colour accents. The form is geometrically strict, while the lampshade's fabric provides the counterweight – glare-free light is guaranteed. The two sizes 21 cm and 27 cm square offer possibilities for different applications - depending on the architecture of the space. The classic E27 socket enables energy-saving LED illumination.

Shade

Fabric shade in dupion silk or chintz (see colour chart)

Mounting board

Steel white powder-coated (w 15 x h 19 cm)

Switch

External

Light source

E27 max.60W (not included)

Light distribution

Symmetrically indirect

Energy class

Depends on the light source

Type of protection

IP20

Protection class

I

Mains voltage

220-240V 50/60Hz

Options

Special colours, B1 fire protection

Certificates



Design

2011, Christian Finke



Model

BOX 27

BOX 35

Dimension (wxhxd)

27x27x15 cm

35x35x17 cm

Net weight

1,5kg

1,65kg

Packing volume

0,023 m³

0,032 m³

Order code:


BOX 27_W

BOX 35_W

cubic FRAME

pendant lamp

filumen®



Description

The pendant or ceiling lamp FRAME can be both decorative and functional. This makes FRAME suitable for both the living area and the work environment. The wide range of colours offers numerous options. The fabric shade can be easily assembled using magnetic clips. A diffuser ensures optimal scattering of the light. With permanently installed LED technology, FRAME is ready for the future.

Shade

Fabric shade, in dupion silk or chintz (see colour chart)

Diffuser

Fixed polycarbonate foil

Suspension

Four-point suspension, steel cord 200 cm

Supply cable

PVC transparent ca. 220 cm

Switch

External

Light distribution

Asymmetrical indirect

Energy class

A+

Lifetime

min. 50.000h

Type of protection

IP20

Protection class

II

Mains voltage

220-240V 50/60Hz

Options

Dimming, special sizes and colours, altern. light sources, >90RA

Certificates



Design

2011, Christian Finke



Model

FRAME 50 pendant

FRAME 75 pendant

Dimensions (wxhxd)

50 x 21 x 50 cm

75 x 27 x 75 cm

Light technology

AC LED 3500lm

DC LED 4000lm

AC LED 3500lm

DC LED 4000lm

Light colour

3000°K

3000°K o. 2700°K

3000°K

3000°K o. 2700°K

Dimming

Triac

optional

Triac

optional

Net weight

1,8 kg

1,95 kg

3,6 kg

3,75 kg

Packing volume

0,067 m³

0,067 m³

0,211 m³

0,211 m³

Order code:

FRAME 50_P_ACL_S

FRAME 50_P_DCL_S

FRAME 75_P_ACL_S

FRAME 75_P_DCL_S

Silk

FRAME 50_P_ACL_C

FRAME 50_P_DCL_C

FRAME 75_P_ACL_C


FRAME 75_P_DCL_C

Chintz

cubic FRAME

mounting lamp

filumen®



Description

The pendant or ceiling lamp FRAME can be both decorative and functional. This makes FRAME suitable for both the living area and the work environment. The wide range of colours offers numerous options. The fabric shade can be easily assembled using magnetic clips. A diffuser ensures optimal scattering of the light. With permanently installed LED technology, FRAME is ready for the future.

Shade

Fabric shade, in dupion silk or chintz (see colour chart)

Diffuser

Fixed polycarbonate foil

Mounting type

Four-point assembly

Light distribution

Asymmetrical indirect

Energy class

A+

Lifetime

min. 50.000h

Type of protection

IP20

Protection class

II

Mains voltage

220-240V 50/60Hz

Options

Dimming, special sizes and colours, altern. light sources

Certificates



Design

2011, Christian Finke



Model

FRAME 50 ceiling lamp

FRAME 75 ceiling lamp

Dimensions (wxhxd)

50 x 21 x 50 cm

75 x 27 x 75 cm

Light technology

AC LED 3500lm

DC LED 2800lm

AC LED 4660lm

DC LED 5200lm

Power

P 30W

21,4W

42W

38W

Light colour / CRI

3000°K / >80RA

3000 o. 2700°K

3000° K / >80RA

3000 o. 2700° K / >80RA

Dimming

Triac

optional

Triac

optional

Net weight

1,8 kg

1,95 kg

3,6 kg

3,75 kg

Packing volume

0,067 m³

0,067 m³

0,211 m³

0,211 m³

Order code:

FRAME 50_M_ACL_S

FRAME 50_M_DCL_S

FRAME 75_M_ACL_S

FRAME 75_M_DCL_S

Silk


FRAME 50_M_ACL_C

FRAME 50_M_DCL_C

FRAME 75_M_ACL_C

FRAME 75_M_DCL_C

Chintz



CUBIC


FRAME P

FRAME M

GATE

BOX

SILK



black #01



silver-grey #05



off-white #02



turquoise #25



almond #24




champagne



occhre #26



yellow #27



orange-gold



orange-red #10



cassis #04

CHINTZ



coffee #20



anthracite #13



stone-grey #18



light-grey #12



white #22



mustard #23



kiwi #15



olive #21



beige #14



flamingo #19



coral #17

The fabric samples shown here are only approximations. Real samples can be viewed at our retail stores.